

Annexures - I

Contry Profile - India

Indicators	Latest	Year	Sources
Basic Information			
Area (sq.km.)	3,287,240		
Administrative Divisions	28 States, 7 Union Territories & 593 Districts	2001	Census of India - http://www.censusindia.gov.in
Population			
Total Population (millions)	1,138,169,000	2007	Census of India 2001, Population Projections for India and States 2001-2026, Registrar General of India, Ministry of Home Affairs, GOI, May 2006 - projected total population as on 1 October 2001-2026.
Total Number of Females (%)	48.3	2007	
Total Urban population (%)	29.2	2007	
Sex Ratio (No. of females per 1,000 males)	933	2001	Census of India 2001, Provisional Population Totals: India, Registrar General of India, Ministry of Home Affairs, GOI
Population in 0- 6 years age group (%)	15.4	2001	
Development			
Per Capita Gross National Income (US\$)	820	2006	World Development Indicators Database, April 2007. World Bank, Washington, DC. http://econ.worldbank.org
Percentage population living below poverty line (Poverty line is defined as expenditure required for a daily calorie intake of 2,400 per person in rural area and 2,100 per person in urban area. This expenditure is estimated at Rs 228.9 per capita per month in rural area and Rs 264.1 in urban areas @ 1993-94 prices)	26.1	1999-2000	Statistical Outline of India 2003-04, Department of Economics & Statistics
Literacy Rate (15 yrs and older) (%)	61	2004	Human Development Report 2006. United Nations Development Programme, New York. http://hdr.undp.org/hdr2006

Indicators	Latest	Year	Sources
Female Literacy rate (15 yrs and older) (%)	47.8	2004	
Female Life Expectancy at birth (years)	64	2005	National Health Profile 2006, Central Bureau of Health Intelligence, MOHFW, GOI
Human Development Index (HDI value)	0.61	2004	Human Development Report 2006. United Nations Development Programme, New York. http://hdr.undp.org/hdr2006
Expenditure on Health			
Total expenditure on health as % of Gross Domestic Product (Public:20% Private: 80%)	4.63	2001-02	National Health Accounts India 2001-02, NHA Cell, MOHFW, GOI
Public expenditure on health as % of total health expenditure	0.9	2001-02	
Private expenditure on health and % of total health expenditure	3.58	2001-02	
Donor spending on health as % of total health expenditure	0.11	2001-02	
Per capita total health expenditure, at average exchange rate (US\$)	27	2003	World Health Report 2006. World Health Organization, Geneva. http://www.who.int/whr/2006/en/index.html
Insurance Coverage			
Social security expenditure on health as % of general govt. expenditure on health (%)	4.2	2003	World Health Report 2006. World Health Organization, Geneva. http://www.who.int/whr/2006/en/index.html
Services			
Percentage of pregnant women accessing Ante Natal Care (3 or more visits)	51	2005-06	National Family Health Survey-III. International Institute of Population Sciences, Mumbai
Percentage of deliveries conducted in medical facility	41	2005-06	
Percentage of deliveries assisted by a health professional	49	2005-06	

Indicators	Latest		Year		Sources
Percentage of children fully immunized (aged 12-23 months)	43.5		2005-06		
Percent of children who have received polio-3 vaccines (aged 12-23 months)	78.2		2005-06		
Traditional Medicine					
Percentage of rural population using Ayurveda (Indian Traditional Medicine) and medicinal plants to meet primary health care needs	65				Supplement on Traditional Medicine, WHO India Country Co-operation Strategy 2006-2011
Human Resources					
No. of Physicians (density per 1,000 population)	0.60		2005		World Health Report 2006. World Health Organization, Geneva. http://www.who.int/whr/2006/en/index.html
No. of Nurses (density per 1,000 population)	0.80		2004		
No. of Midwives (density per 1,000 population)	0.47		2004		
No. of Pharmacists (density per 1,000 population)	0.56		2004		
No. of Community Health Workers (density per 1,000 population)	0.05		2004		
Water & Sanitation					
Percentage households having safe drinking water facilities	77.9		2001		National Health Profile 2006, Central Bureau of Health Intelligence, MOHFW, GOI
Percentage of rural population with access to improved sanitation	33		2005		World Bank, HNP Stats 2007 http://ddp-ext.worldbank.org/ext/DDPQQ/report.do?method=showReport

Indicators	Latest	Year	Sources
Mortality			
Crude Death Rate (per 1,000 population)	7.6	2005	Sample Registration System Bulletin, October 2006. Registrar General, New Delhi
Infant Mortality Rate (per 1,000 live births)	57	2005-06	National Family Health Survey-III. International Institute of Population Sciences, Mumbai
Under-5 mortality Rate (per 1,000 live births)	74	2005-06	
Maternal Mortality Ratio (per 100,000 live births)	301	2001-03	Sample Registration System Bulletin, October 2006. Registrar General, New Delhi
Fertility & Maternal Health			
Birth Rate (per 1000 population)	23.8	2005	Sample Registration System Bulletin, October 2006. Registrar General, New Delhi
Total Fertility Rate (births per woman)	2.68	2005-06	National Family Health Survey-III. International Institute of Population Sciences, Mumbai
Age at marriage (median)	17.2	2005-06	
Nutrition			
Children aged 0-5 months, exclusively breastfed (%)	46.3	2005-06	National Family Health Survey-III. International Institute of Population Sciences, Mumbai
Children under 3 years, who are stunted(%)	38.4	2005-06	
Children under 3 years, who are wasted(%)	19.1	2005-06	
Children under 3 years, who are under weight (%)	45.9	2005-06	
Children aged 6-35 months, who are anaemic (%)	79.2	2005-06	
Percentage of women aged 15-49 years, whose body mass index is below normal (i.e 18.50-24.99 kg/m ²)	33.0	2005-06	
Percentage of pregnant women aged 15-49 years, who are anaemic	57.9	2005-06	

Indicators	Latest		Year		Sources
Adolescents					
Total number of adolescents (10-19 years age group)	226,022,000		2004		World Population Prospects: The 2004 Revision and World Urbanization Prospects: The 2004 Revision. Population Division of the Department of Economic & Social Affairs of the United Nations Secretariat. Http://esa.un.org/unpp
Percentage contribution of adolescents (15-19 years) to Total Fertility Rate(%)	19		1998-99		National Family Health Survey-II. International Institute of Population Sciences, Mumbai
Extent of unmet need for contraception in 15-19 years age group	27		1998-99		
HIV/Malaria/Tuberculosis					
Estimated HIV prevalence in 15-49 years(%) (Extent of HIV infection in 15-49 year age group is 2.47 million)	0.36		2006		India HIV Estimates 2006 Technical Report, National AIDS Control Organization and National Institute of Medical Statistics (ICMR).
Reported Malaria incidence (per 100,000 population at risk)	>154		2006		Directorate of National Vector Borne Disease Control Programme, MOHFW, GOI
Estimated tuberculosis incidence - new smear positive cases (per 100,000 population per year)	75		2005		Global Tuberculosis Control: Surveillance, Planning, Financing. WHO, 2007.
Tobacco Use					
Percentage of men aged 15-49 years, who use any kind of tobacco	57		2005-06		National Family Health Survey-III. International Institute of Population Sciences, Mumbai
Percentage of women aged 15-49 years, who use any kind of tobacco	10.8		2005-06		
Percentage of students aged 13-15 years, who use any kind of tobacco	14.1		2006		Tobacco Control in Schools in India, India Global Youth Tobacco Survey & Global School Personnel Survey, MOHFW, GOI, 2006

